

2000mg Tincture (1)



Sugarloaf Organics
150 Old Saint Johns Lane
Drums, PA 18222



Order ID#: 20210916-1163
Lab code#: LC-20210916-3024
Product type: Oil
Unit amt. (mL): 30
Lot number: 1
Batch number: 1

Sample date: 15-Sep-2021
Sample received: 20-Sep-2021
Completed: 21-Sep-2021
Report expires: 21-Sep-2022

CANNABINOIDS

Analysis Batch: WO-21092010
Analysis Date: Monday, September 20, 2021

Test Method: SOP 6.6
Instrument: Agilent HPLC, Instrument 33


| Analyte | % ^a | mg/mL | mg/unit |
|---------------|----------------|--------------|-------------|
| THCA-A | ND | ND | ND |
| Δ9-THC | 0.0810 | 0.8100 | 24.30 |
| CBDA | ND | ND | ND |
| CBD | 3.50 | 34.95 | 1049 |
| CBN | ND | ND | ND |
| CBDV | ND | ND | ND |
| Δ8-THC | ND | ND | ND |
| THCV | ND | ND | ND |
| CBG | 3.27 | 32.71 | 981.3 |
| CBGA | ND | ND | ND |
| CBC | 0.0460 | 0.4600 | 13.80 |
| Total: | 6.89 | 68.93 | 2068 |

Total THC^b
0.081%

Total CBD^c
1049 mg

TOTAL^d
2068 mg

Profile (mg/serving)



^a Detection Level = 0.03% by weight.

^b Total THC is calculated as %THC + (%THCA × 0.877).

^c CBD is calculated as CBD + (CBDA × 0.877).

^d The absolute sum of all cannabinoids above the level of detection.

MICROBIALS

Analysis Batch: WO-21092009
Analysis Date: Tuesday, September 21, 2021

Test Method: SOP 6.11
Instrument: Agilent AriaMX, Instrument 43

| Test | Specification | Result | Units | Report |
|--------------------------------------|---------------|--------|-------|--------|
| STEC (Shiga toxin-producing E. coli) | Absent in 1 g | Absent | -- | Pass |
| Listeria monocytogenes | Absent in 1 g | Absent | -- | Pass |
| Salmonella | Absent in 1 g | Absent | -- | Pass |

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 21-Sep-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -